

Prepared By:
Anne Stehno
Utah Fleet Operations
801-619-7242
annestehno@utah.gov

Prepared For:
CLASS 0607

2013 Chevrolet Impala 4dr Sdn



2013 Chevrolet Impala 4dr Sdn LS Fleet (1WF19)

CLASS 0607

SEDAN FULLSIZE 4 DOOR

OPTIONAL EQUIPMENT SUPERSEDES STANDARD EQUIPMENT

Vehicle Report: Table of Contents

VEHICLE INFORMATION	
Selected Model	1
Selected Vehicle Colors	1
Selected Options	1
STANDARD EQUIPMENT	
Mechanical	2
Exterior	2
Entertainment	2
Interior	2
Safety	3
TECHNICAL SPECIFICATIONS	
Vehicle	4
Powertrain	4
Dimensions	5
Chassis	5
WARRANTY INFORMATION	
Warranty Information	8

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 2533, current as of 12/16/2012 at 00:13 AM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Vehicle Information

SELECTED MODEL

Code	Description
1WF19	2013 Chevrolet Impala 4dr Sdn LS Fleet

SELECTED VEHICLE COLORS

SELECTED OPTIONS

Code	Description
FE9	EMISSIONS, FEDERAL REQUIREMENTS
LFX	ENGINE, 3.6L SIDI DOHC V6 VVT, (300 hp [223.7 kW] @ 6500 rpm, 262 lb-ft of torque [353.7 N-m] @ 5300 rpm) (STD)
MX0	TRANSMISSION, 6-SPEED AUTOMATIC, ELECTRONICALLY CONTROLLED WITH OVERDRIVE, (STD)
1FL	LS PREFERRED EQUIPMENT GROUP, includes Standard Equipment
—	STANDARD PAINT
AR9	SEATS, FRONT BUCKET, (STD)
19C	EBONY, CLOTH SEAT TRIM
U1C	AUDIO SYSTEM, AM/FM STEREO WITH CD PLAYER, seek-and-scan, digital clock, auto-tone control, automatic volume and TheftLock (STD)
FHS	E85 FLEXFUEL CAPABLE, (includes rear decklid badge), (Standard with (FE9) Federal emissions requirements. Available For FBC or FGO order types only and requires YF5 or NE1 emissions.)
VK3	LICENSE PLATE BRACKET, FRONT, (Included on orders with ship-to states that require a front license plate.)

All prices and specifications are subject to change without notice. Prices do not include sales tax, vehicle registration fees, finance charges, documentation charges, or other fees required by law. Dealer invoice prices do not include dealer charges, such as advertising charges, that can vary by manufacturer or region.

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 2533, current as of 12/16/2012 at 00:13 AM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Standard Equipment

MECHANICAL

Engine, 3.6L SIDI DOHC V6 VVT (300 hp [223.7 kW] @ 6500 rpm, 262 lb-ft of torque [353.7 N-m] @ 5300 rpm)
Transmission, 6-speed automatic, electronically controlled with overdrive
Front wheel drive
Battery rundown protection
Alternator, 150 amps
Suspension, 4-wheel independent, Touring
Steering, power, rack-and-pinion
Brakes, 4-wheel antilock, 4-wheel disc
Exhaust, dual-outlet stainless-steel

EXTERIOR

Wheels, 16" (40.6 cm) aluminum
Tires, P225/60R16 all-season, blackwall
Tire, compact spare
Moldings, body-color bodyside
Moldings, body-color rocker
Headlamps, halogen composite with automatic exterior lamp control
Glass, Solar-Ray light-tinted
Mirrors, outside power-adjustable body-color
Wipers, front intermittent
Door handles, body-color

ENTERTAINMENT

Audio system, AM/FM stereo with CD player seek-and-scan, digital clock, auto-tone control, automatic volume and TheftLock
Antenna, integral rear, AM/FM

INTERIOR

Seats, front bucket
Seat trim, cloth
Seat adjuster, driver 6-way power
Seat adjuster, driver manual lumbar control
Seat, rear fixed bench
Floor mats, carpeted front and rear
Shifter, floor console
Steering column, Tilt-Wheel
Steering wheel, urethane
Instrumentation, analog 4-gauge cluster with speedometer, tachometer, coolant temperature, fuel, trip odometer and Driver Information Center
Oil life monitoring system
Windows, power with driver Express-Down and passenger lockout
Door locks, power programmable with lockout protection
Remote Keyless Entry
Cruise control, electronic with set and resume speed
Trunk release, remote
Theft-deterrent system, vehicle, PASS-Key III+
Air conditioning, single-zone manual with air filtration system
Defogger, rear-window electric
Appique, woodgrain on instrument panel and door

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 2533, current as of 12/16/2012 at 00:13 AM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Mirror, inside rearview manual day/night with map lights
Visors, driver and front passenger vanity mirrors, covered
Assist handles, front passenger and rear outboard
Lighting, interior with center-mounted dome and rear reading lights

SAFETY

StabiliTrak, stability control system includes Traction Control

Daytime Running Lamps

Air bags, dual-stage frontal, and thorax side-impact, driver and front passenger, and head curtain side-impact, front and rear outboard seating positions includes Passenger Sensing System (Always use safety belts and child restraints. Children are safer when properly secured in a rear seat in the appropriate child restraint. See the Owner's Manual for more information.)

Safety belt pretensioners, front row seats

Door locks, rear child security

Trunk emergency release handle

LATCH system (Lower Anchors and Top tethers for CHildren) for child safety seats

Tire Pressure Monitor

All specifications are subject to change without notice.

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 2533, current as of 12/16/2012 at 00:13 AM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Technical Specifications

VEHICLE

Emissions

Tons/yr of CO2 Emissions @ 15K mi/year	8.3
EPA Greenhouse Gas Score	N/A

Vehicle

EPA Classification	Large Cars
--------------------	------------

POWERTRAIN

Transmission

Drivetrain	Front Wheel Drive
Trans Order Code	MX0
Trans Type	6
Trans Description Cont.	Automatic
Trans Description Cont. Again	
First Gear Ratio (:1)	4.48
Second Gear Ratio (:1)	2.87
Third Gear Ratio (:1)	1.84
Fourth Gear Ratio (:1)	1.41
Fifth Gear Ratio (:1)	1.00
Sixth Gear Ratio (:1)	0.74
Reverse Ratio (:1)	2.88
Clutch Size	
Final Drive Axle Ratio (:1)	2.44

Mileage

EPA Fuel Economy Est - Hwy	30 MPG
Cruising Range - City	315.00 mi
EPA Fuel Economy Est - City	18 MPG
Fuel Economy Est-Combined	22 MPG
Cruising Range - Hwy	525.00 mi
EPA MPG Equivalent - City	N/A
EPA MPG Equivalent - Hwy	N/A
EPA MPG Equivalent - Combined	N/A
Battery Range	N/A mi

Engine

Engine Order Code	LFX
Engine Type	Gas/Ethanol V6
Displacement	3.6L/217
Fuel System	Direct Injection
SAE Net Horsepower @ RPM	300 @ 6500
SAE Net Torque @ RPM	262 @ 5300

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 2533, current as of 12/16/2012 at 00:13 AM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Electrical

Cold Cranking Amps @ 0° F (Primary)	N/A
Maximum Alternator Capacity (amps)	150

Cooling System

Total Cooling System Capacity	N/A qts
-------------------------------	---------

DIMENSIONS

Interior Dimensions

Passenger Capacity	5
Passenger Volume	104.5 ft³
Front Head Room	39.40 in
Front Leg Room	42.30 in
Front Shoulder Room	58.70 in
Front Hip Room	56.40 in
Second Head Room	37.80 in
Second Leg Room	37.60 in
Second Shoulder Room	58.60 in
Second Hip Room	57.20 in

Exterior Dimensions

Wheelbase	110.50 in
Length, Overall	200.40 in
Width, Max w/o mirrors	72.90 in
Height, Overall	58.70 in
Track Width, Front	62.40 in
Track Width, Rear	61.50 in
Min Ground Clearance	N/A in
Liftover Height	N/A in

Cargo Area Dimensions

Trunk Volume	18.6 ft³
--------------	----------

CHASSIS

Weight Information

Base Curb Weight	3555 lbs
------------------	----------

Trailer

Dead Weight Hitch - Max Trailer Wt.	1000 lbs
Dead Weight Hitch - Max Tongue Wt.	100 lbs
Wt Distributing Hitch - Max Trailer Wt.	
Wt Distributing Hitch - Max Tongue Wt.	

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 2533, current as of 12/16/2012 at 00:13 AM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Suspension

Suspension Type - Front	MacPherson Strut
Suspension Type - Rear	Tri-Link
Suspension Type - Front (Cont.)	Touring
Suspension Type - Rear (Cont.)	Touring
Shock Absorber Diameter - Front	N/A mm
Shock Absorber Diameter - Rear	N/A mm
Stabilizer Bar Diameter - Front	1.18 in
Stabilizer Bar Diameter - Rear	0.63 in

Tires

Front Tire Order Code	QPX
Rear Tire Order Code	QPX
Spare Tire Order Code	
Front Tire Size	P225/60R16
Rear Tire Size	P225/60R16
Spare Tire Size	Compact

Wheels

Front Wheel Size	16 x -TBD- in
Rear Wheel Size	16 x -TBD- in
Spare Wheel Size	N/A in
Front Wheel Material	Aluminum
Rear Wheel Material	Aluminum
Spare Wheel Material	Steel

Steering

Steering Type	Pwr Rack & Pinion
Steering Ratio (:1), Overall	13.3
Lock to Lock Turns (Steering)	2.4
Turning Diameter - Curb to Curb	38.00 ft
Turning Diameter - Wall to Wall	N/A ft

Brakes

Brake Type	Pwr
Brake ABS System	4-Wheel
Brake ABS System (Second Line)	N/A
Disc - Front (Yes or)	Yes
Disc - Rear (Yes or)	Yes
Front Brake Rotor Diam x Thickness	11.93 x 1.18 in
Rear Brake Rotor Diam x Thickness	10.94 x 0.43 in
Drum - Rear (Yes or)	
Rear Drum Diam x Width	

Fuel Tank

Fuel Tank Capacity, Approx	17.5 gal
Aux Fuel Tank Capacity, Approx	N/A gal


carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 2533, current as of 12/16/2012 at 00:13 AM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Report content is based on current data. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.




Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 2533, current as of 12/16/2012 at 00:13 AM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Warranty Information

Basic:
3 Years/36,000 Miles
Drivetrain:
5 Years/100,000 Miles
Corrosion:
3 Years/36,000 Miles
Rust-Through
6 Years/100,000 Miles
Roadside Assistance:
5 Years/100,000 Miles



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 2533, current as of 12/16/2012 at 00:13 AM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.